## APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Dat	e of filing in State Engineer's Office FEB 4 1991		
Returned to applicant for correction			
Coı	rected application filed		
	The applicant Oxbow Geothermal Corporation		
	200 S. Virgina Street, Suite 400 of Reno  Street and No. or P.O. Box No. City or Town		
	Nevada 89502 hereby make. S. application for permission to change the		
	Point of Diversion and Place of Use Point of diversion, manner of use, and/or place of use		
	water heretofore appropriated under Permit 43052  Identify existing right by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and		
ident	ify right in Decree.		
1.	The source of water is.  Underground  Name of stream, lake, underground spring or other source.		
2.	The amount of water to be changed 3.25 CFS  Second feet, acre feet. One second foot equals 448.83 gallons per minute.		
3.	The water to be used for Industrial Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.		
4.	The water heretofore permitted for. Industrial  Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.		
5.	The water is to be diverted at the following point within the SE½ NE½ Section 7, T.24N., R.37E.  Describe as being within a 40-acre subdivision of public survey and by course and		
	M.D.M. or at a point from which the Northeast corner of said Section 7 bears N.24° distance to a section corner. If on unsurveyed land, it should be stated.		
	12'E. a distance of 1997 feet (73B-7).		
6.	The existing permitted point of diversion is located within the NE <sup>1</sup> / <sub>4</sub> NW <sup>1</sup> / <sub>4</sub> Section 18, T.24N., R.37E.,  If point of diversion is not changed, do not answer.		
	M.D.M. or at a point from which the Northeast corner of Section 6, T.24N., R.37E.,		
	M.D.M. bears N.14°40'13"E., a distance of 11752.9 feet (42-18).		
7.	Proposed place of use NE ½ Section 7, T.24N., R37E., M.D.M.  Describe by legal subdivisions. If for irrigation state number of acres to be irrigated.		
8.	Existing place of use. within Section 32, T.25N., R.37E., M.D.M.; Sections 4, 5, 6, 7, 8, Describe by legal subdivisions. If permit is for irrigation, state number of acres irrigated. If changing place of use and/or 17, 18, 19, 20, 21, T.24N., R.37E., M.D.M.; Sections 12, 13, 24, T.24N., R.36E., manner of use of irrigation permit, describe acreage to be removed from irrigation.  M.D.M.		
0			
	Use will be from January 1 to December 31 of each year.  Month and Day to December 31 of each year.		
	Use was permitted from January 1 to December 31 of each year.  Month and Day Month and Day of NIPS 525 010 year may be required to submit plans and		
	Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and		
	specifications of your diversion or storage works.). Geothermal production well and piping to State manner in which water is to be diverted, i.e. diversion structure,		
	existing geothermal power plant. ditches, pipes and flumes, or drilled well, etc.		
	Estimated cost of works\$1 million.		
13.	Estimated time required to construct works		

14. Estimated time required to complete the applica	tion of water to beneficial use 5 years		
15. Remarks: For use other than irrigation or stoc consumptive use:	Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use:  This application is to be commingled with other applications for		
This application is to be co			
for Oxbow's Dixie Valley Pow	for Oxbow's Dixie Valley Power Plant.		
	p. s/Thomas A. Foote		
1. •	By s/Thomas A. Foote 5190 Neil Road, # 300		
Compared pm/jm	Reno, NV 89502		
Protested			
<del>1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 </del>	OF STATE ENGINEED		
	OF STATE ENGINEER		
This is to certify that I have examined the for following limitations and conditions:	egoing application, and do hereby grant the same, subject to the		
Ç			
The amount of water to be changed shall be limited	to the amount which can be applied to beneficial use, and not to		
	cubic feet per second		
exceed	subjected per second		
Work must be prosecuted with reasonable diligence a	and be completed on or before		
Proof of completion of work shall be filed before			
Application of water to beneficial use shall be made of	on or before		
Proof of the application of water to beneficial use sha	all be filed on or before		
map in support of proof of beneficial use shall be the	ed on or before		
Completion of work filed	IN TESTIMONY WHEREOF, I,		
	State Engineer of Nevada, have hereunto set my hand and the seal of my		
Proof of beneficial use filed	office, thisday of,		
Cultural map filed	A.D. 19		
Certificate NoIssued	<del></del>		
A COMPANY TO THE PARTY OF THE P	State Engineer		
14 7 1943 W			